

Application Serial No. 10/773,798  
Reply to office action of March 24, 2005

PATENT  
Docket: CU-4114

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application: Sang-Ik CHO

Serial No: 10/773,798

Filed: February 6, 2004

For: APPARATUS FOR AUTOMATICALLY OPERATING A DRAIN VALVE IN A  
WASHSTAND

] GRP ART UNIT: 3751

] Ex.: Huynh, Khoa D.

RECEIVED  
CENTRAL FAX CENTER  
JUN 17 2005

**Certification under 37 C.F.R. §1.8(a)**

The USPTO Central Fax No. (703) 872-9306

Date of Fax Transmittal: June 7, 2005

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted to the United States Patent and Trademark Office to the fax number and on the date indicated above.

  
W. William Park, Reg. No. 55,523

**AMENDMENT UNDER 37 CFR 1.111**

**Mail Stop Amendment**  
The Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

Sir:

In response to the office action dated March 24, 2005, setting a 3-month shortened statutory period for a reply ending on June 24, 2005, the applicant submits the following responsive amendment in the above-identified application. This amendment is considered to place the application in better condition for allowance.

No fee is believed to be required with this amendment, but, if this is not the case, please charge the requisite fee (or credit any overpayment) to Deposit Account No. 12-0400.

**Amendments to the Claims** are reflected in the listing of claims, which begins

Application Serial No. 10/773,798  
Reply to office action of March 24, 2005

PATENT  
Docket: CU-4114

on page 3 of this paper.

**Remarks/Arguments** begin on page 6 of this paper.